

1. (cancelled) A structure comprising:
a base platform configured to support a child;
a plurality of inflatable side panels extending vertically from and surrounding the base platform, the base platform and side panels defining an enclosure for the child; and
an inflatable member attached to an outer periphery of the base platform, the inflatable member configured to support the side panels of the structure.
2. (currently amended) The structure of claim [1] 27 wherein each of the side panels is inflatable individually.
3. (currently amended) The structure of claim [1] 27 wherein the plurality of inflatable side panels is configured to be inflatable from a single valve.
4. (currently amended) The structure of claim [1] 27 wherein the base platform is integral to the side panels.
5. (currently amended) The structure of claim [1] 27 wherein the base platform is inflatable.
6. (currently amended) The structure of claim [1] 27 wherein the base platform comprises a plurality of elongated ribs.
7. (currently amended) The structure of claim [1] 27 wherein the base platform is formed of a woven mesh.
8. (currently amended) The structure of claim [1] 27 wherein each of the side panels has a lower end and an upper end, the lower end having a width greater than the upper end.

9. (currently amended) The structure of claim [1] 27 further comprising a pump to inflate the side panels.

10. (currently amended) The structure of claim [1] 27 wherein the panels are configured to be inflated with air.

11. (original) A structure comprising:
a base platform configured to support a child;
a plurality of inflatable side panels extending vertically from and surrounding the base platform, the base platform and side panels defining an enclosure for the child; and
a protective member sealing the inner, inflatable panels from the child.

12. (original) The structure of claim 11, wherein the protective member is formed of woven mesh.

13. (original) The structure of claim 12, wherein the woven mesh is bonded to the inner inflatable frame.

14. (original) The structure of claim 13, wherein the woven mesh is heat-sealed to the inner inflatable frame.

15. (original) The structure of claim 12, wherein the woven mesh is stitched to the inner inflatable frame.

16. (original) The structure of claim 15 further comprising binding tape positioned between the woven mesh and the inner inflatable frame.

17. (original) The structure of claim 16 further comprising stitching between the binding tape and the woven mesh and between the binding tape and the inner inflatable frame.

18. (original) The structure of claim 11 wherein each of the side panels is inflatable individually.

19. (original) The structure of claim 11 wherein the plurality of inflatable side panels is configured to be inflatable from a single valve.

20. (original) The structure of claim 11 wherein the base platform is integral to the side panels.

21. (original) The structure of claim 11 wherein the base platform is inflatable.

22. (original) The structure of claim 11 wherein the base platform comprises a plurality of elongated ribs.

23. (original) The structure of claim 11 wherein the base platform is formed of a woven mesh.

24. (original) The structure of claim 11 wherein each of the side panels has a lower end and an upper end, the lower end having a width greater than the upper end.

25. (original) The structure of claim 11 further comprising a pump to inflate the side panels.

26. (original) The structure of claim 11 wherein the panels are configured to be inflated with air.

Please add the following claim:

Applicant : Scott D. Hardy
Serial No. : 10/774,895
Filed : February 9, 2004
Page : 5 of 6

Attorney's Docket No.: 10762-006001

27. (original) The structure of claim 11 further comprising an inflatable member attached to an outer periphery of the base platform, the inflatable member configured to support the side panels of the structure.